

9500153

ATTE: MUNICIPALITY OF THE STATE OF THE STATE

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Aelta and Pine Land Company

PLOTORS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR MPORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE VE PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT DEED BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'DP 3681'

In Testimonn Merror, I have hereunto sel my hand and caused the seal of the Hunt Unriety Protection Office to be affixed at the City of Washington, D.C. this thirty-first day of July in the year of our Lord one thousand sine hundred and nineturis.

Our Polistensen Secretary of Syriculture

Sitest:

Marska A. Stant

Commissioner

Plant Variety Protection Office

Put-lik reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestations for reducing this burden, to Department of Agriculture, Clearance Office, ORM, Room 404-W, Washington, D.Z. 20250; and to the Office of Management and Budget; Paperwork Reduction Project (OMB #0581-0055), Washington, 20250.

FORM APPROVED: OMB 6581-0055, Explices 1731.91

U.S. DEPARTMENT OF AGRICULT	URE	
APPLICATION FOR PLANT VARIETY PR	OTECTION CERTIFICATE	Application is required in order to determine it a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is field confidential until certificate is issued (7 U.S.C. 2426).
NAME OF APPLICANT(S) (as it is to appear on the Certificate)	2 TEMPORARY DESIGNATION OR	3. VARIETY NAME
DELTA AND PINE LAND COMPANY	DPX 3681	DP 3681
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)	5 PHONE (Include area code)	FOR OFFICIAL USE ONLY
100 Main Street Scott, MS 38772		9500153
		[MAY 2, 1995
6. GENUS AND SPECIES NAME 7. FAMI	LY NAME (Botanical)	Time
Glycine_max Le	guminosae	G DAM PPM
8. CROP KNO NAME (Common Name)	9. DATE OF DETERMINATION	F Filing and Examination Fee:
Soybean		S Date 2
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION		MAY 6, 1995
Corporation		C Certificate Fee:
11. IF INCORPORATED, GIVE STATE OF INCORPORATION	12. DATE OF INCORPORATION	V Date
Delaware		5 JUNE 17, 1996
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE IN	THIS APPLICATION AND RECEIVE ALL PAPERS	
Dr. Harry Collins P.O. Box 157 Scott, MS 38772	(601)742	- 3351
50000; Mo 50772	PHONE (include area col	*
Protection Act.) YES (M "YES." answer items 16 and 17-below)	of the United States." SETY NAME ONLY AS A CLASS OF CERTIFIED SEED? (S. MO (N "NO." Skip to item 18 below)	
16. DOES THE APPLICANTIS) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?	17. IF "YES" TO ITEM 16, WHICH CLASSES OF PROOL	CHON BEYOND BREEDER SEED?
The result of th	FOUNDATION - REGIST	CERTIFIED CERTIFIED
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY IN T	HE U.S.?	
X NO	ent Act Give date}	
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR MARKETED	IN THE U.S. OR OTHER COUNTRIES?	
YES (II "YES," give names of countries and dates) NO		
20. The applicant(s) declare(s) that a viable sample of basic seeds of the request in accordance with such regulations as may be applicable. The undersigned applicant(s) is (are) the owner(s) of this sexually	reproduced novel plant variety, and believ	ets) that the variety is distinct.
uniform, and stable as required in section 41, and is entitled to prote Applicant(s) is (are) informed that false representation herein can je	The state of the s	Plant Variety Protection Act.
SIGNATURE OF APPLICANT IOwner(SIV)	CAPACITY OR TITLE	DATE
Harred Sharres	MIDSOUTH SOYBEAN BREEDER	1///
SIGNATURE OF APPLICANT JOHNBUSH	CAPACITY OR TITLE VICE PRESIDENT	4-26-95
	DIRETOR OF RESEARCH	

EXHIBIT A

DELTA AND PINE LAND COMPANY'S APPLICATION FOR DP 3681

ORIGIN AND BREEDING HISTORY

	1987	-	Cross #87028 - Coker 6727 X DP 415 made
	1988	-	F_1 advanced to F_2 in winter nursery.
	1989	-	F_2 advanced to F_3 by bulk pod method.
Winter	1989-1990	-	F_3 advanced to F_4 in winter nursery by bulk pod method.
Summer	1990	-	F ₄ plants were harvested and threshed individually.
	1991	-	F ₅ plant rows planted and row number 91-12455 was composited
			selected and found to be stable for characteristics listed in exhibit
	•		"C" of this application. No variants were observed or known to
			occur.
	1992	-	Selection 91-12455 was grown in group VI preliminary yield tests
			and advanced for further testing in 1993.
	1993	-	Selection 91-12455 was assigned key #4747 and yield tested at
			eleven locations in the midsouth and southeast. Increase was begun
			and all offtypes, if any, were carefully removed.
	1994	-	Tested again at eleven Delta and Pine Land Company locations and
			increased further.
	1995	- '	Tested as DPX 3681 in state experiment station tests and D&PL
	•		tests increased further and released as DP 3681.

D MA -5 WINS

neo

EXHIBIT B

DELTA AND PINE LAND COMPANY'S APPLICATION FOR DP 3681

NOVELTY STATEMENT

To our knowledge, DP 3681 most resembles DP 3682. Differences include, but are not restricted to the following:

- a) DP 3681 is resistant to frogeye leaf spot and DP 3682 is susceptible.
- b) DP 3681 is very resistant to stem canker, whereas DP 3682 is moderately susceptible.
- c) DP 3681 averages 2 grams per 100/seed larger than DP 3682.
- d) DP 3681 averages 2% higher protein and 1% lower oil than DP 3682
- e) DP 3681 is resistant to soybean mosaic virus whereas DP 3682 is susceptible

DE WW -5 10

U.S.:DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE

EXHIBIT C

PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max LJ

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
DELTA AND PINE LAND COMPANY	DPX 3681	DP 3681
	√	D1 3001
ADDRESS [Street and No., or R.F.D. No., City, State, and Zip Co	del	FOR OFFICIAL USE ONLY
100 Main Street	town and the second	PVPO NUMBER
Scott, MS 38772		9500153
Choose the appropriate response which characterizes the vain your answer is force than the number of	riotaria da Casa 1 4 1	7000
in your answer is lewer than the number of boxes provided Started characters from considered for t	tilere a com in the foreboar	below. When the number of significant d
Starred characters & are considered fundamental to an adeq	state kospesu zacjeta gazajacji	on Other department of the second
21202030	y - many compa	One consecutive of described
1. SEED SHAPE:	0	
		en la companya de la La companya de la co
L W	T.	
1 - Spherical (L/W, L/T, and T/W ratios - < 1.2)	2 = Spherical Flattened	LW mio > 1.2: L/T mio = < 1.2)
3 - Bongate (L/T ratio > 1.2; T/W - < 1.2)	4 = Elongate Flattened (UT retio > 1.2:TW > 1.2
SEED COAT COLOR: (Meture Seed)		
	and the	
1 - Yellow 2 - Green 3 - Brown	4 = Black , 5 = Other (Specify!
CETTO COLOT I MANTE A	<u> </u>	
SEED COAT LUSTER: (Mature Hand Shelled Seed)		
2 1 = Dull ("Corsoy 79": "Braxton") 2 = Shiny ("Nebso	. / . e^ e > n	
2 Sand (neces	γ; 'G#S0γ 1/1	
SEED SIZE: (Meture Seed)	•	
<u> </u>	$(x,y) = (x_1,\dots,x_n) = (x_1,\dots,x_n)$	
5 Grams per 100 seeds		
HILUM COLOR: (Mature Seed)	The second of th	
E 1 - Buff 2 - Yellow 3 - Bown		
5 1 - Buff 2 - Yellow 3 - Brown 4	= Gray 5 = Imperfect Black	6 = Black 7 = Other (Specify)
COTYLEDON COLOR: (Mature Seed)	<u> </u>	
COLLICEDON COLON: (Winters 2sed)		
1 1 = Yellow 2 = Green		
<u> </u>		
SEED PROTEIN PEROXIDASE ACTIVITY:		
1 - Low 2 - High		
SEED SPOTFING COMPANY		
SEED PROTEIN ELECTROPHORETIC BAND:		
1 - Type A (SPI ^B) 2 - Type B (SPI ^b)	· · · · · · · · · · · · · · · · · · ·	and the Carlo Carl
-		
HYPOCOTYL COLOR:		
	•	
3 1 " Green only ('Evans'; 'Davis') 2 " Green with t	bronze band below cotyledons (W	oodworth"; "Tracy")
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'C	and the Property of the Control of t	and the control of the state of the control of the
. Community is a series of the	oker Hampton 266A'l	
		
LEAFLET SHAPE:		

11. LEAFLET SIZE:	
1 - Small ('Amsoy 71'; 'A5312')	2 = Medium ('Corsoy 79'; 'Gasoy 17')
2 3 - Large ('Crawford'; 'Tracy')	in digital sentence di periodici di sentence della di la compositione di la compositione di la compositione di La granda della compositione di la
12. LEAF COLOR:	- Proceedings
7 1 - Light Green (Weber': 'York')	2 - Medium Green ('Corsoy 79'; 'Braxton')
3 - Dark Green ('Gnome'; 'Tracy')	
k 13. FLOWER COLOR:	
- Alt HUCK	3 ≈ White with purple throat
2 1 - White 2 Purple	The second secon
t 14. POD COLOR:	
	3 ~ .8lack
1 1 = Tan 2 = Brown	and the state of t
15. PLANT PUBESCENCE COLOR:	
1 1 - Gray 2 - Brown (Tan	wav)
16. PLANT TYPES:	
1 - Stender ("Essex"; "Amsoy 71")	2 ~ Intermediate ('Amcor'; 'Braxton')
2. 3 - Bushy ('Gnome'; 'Govan')	
17. PLANT HABIT:	
1 = Determinate ('Gnome'; 'Braxtor	
3 = Indeterminate ('Nebsoy'; 'Impro	wed Felican J
18. MATURITY GROUP:	
	-0 4-1 5-11 6-111 7-IV 8-V
	-0 4-1 5-11 6-111 7-1V 8-V 1-VIII 12-IX 13-X
19. DISEASE REACTION: (Enter 0 - Not Teste	nd; 1 = Susceptible; 2 = Resistanti
BACTERIAL DISEASES:	
* 2 Bacterial Pustule (Xanthomonas pha	weeti var eniensis!
* Bacterial Blight (Pseudomonas glycia	ines) ET: TIA S- YAM 26.
★ 0 Witdlire (Pseudomonas tabaci)	
FUNGAL DISEASES:	09V9-2MA -A 0 2U
* 0 Brown Spot (Septoria glycines)	K EČEIAED
· · · · · · · · · · · · · · · · · · ·	
Frogeye Leaf Spot (Cercospora sojin	12 <i>]</i>
Race 1 Race 2	Race 3 Race 4 Race 5 2 Other (Specify)
1 Target Spot (Corynespora cassiicola)	RACES UNKNOWN
Downy Mildew (Peronospora trilolic	orum var, manshurical
	and the second of the second o
Powdery Mildew (Microsphaera dilla	
Brown Stem Rot (Cephalosparium 9	regatum)
2 Stem Canker (Diaporthe phaseology)	m var. caulivora)

			The second secon			
	FUN	NGAL DISEASE	S: (Continued)		aka da Majaran Kabupatèn Bangaran Kabupatèn Bangaran Kabupatèn Bangaran Kabupatèn Bangaran Bangaran Kabupatèn Kabupatèn Bangaran B	
*	0	Pod and Stem	Blight (Disporthe phaseolorum var; sojac)		etalija og 1900 in 1900. Stanton Somer en en en en en en	
	0	Purple Seed S	win (Cercospora kikuchii)			
	0	Rhizoctonia f	Root Rot (Rhitoctonia solani)	· · · · · · · · · · · · · · · · · · ·		
		Phytophthora	Rot (Phytophthors megssperms var. sojec)			
×	1	Race 1	0 Race 2 0 Race 3 0	Race 4 0 Race 5	0 Race 6	O Race 7
:	0	Race 8	0 Race 9 0 Other (Specify)			·
	VIRA	AL DISEASES:				
	0	Bud Blight (To	obscco Ringspot Virus)		$(x_1, x_2, \dots, x_n) \in \mathbb{R}^{n \times n} \times \mathbb{R}^{n \times n}$	and sometimes
	0	Yellow Mossic	: (Bean Yellow Mossic Virus)		and the second	
*			· ·		e e e e e e e e e e e e e e e e e e e	
	0					
*						
	NEM					
*	0	Race 1	0 Race 2 2 Race 3 0	Race 4 1 Other IS	pocify/ Race 14	
		Fool and Stem Bilght (Diaporthe phaseosloring var. solped Purple Seed Stain (Corcospora kikuchil) Fivisocionia Root Rot (Phytophthors megasporma var. solped Race 1				
*	$\frac{6}{2}$					
*						
	$\frac{U}{2}$					
			-		÷	
			·			
20. E	HYSIO	LOGICAL RES	PONSES: (Enter 0 = Not Tested; 1 = Suscepti	ble: 2 = Resistant	, and the second second	
*	2	fron Chlorosis	on Calcareous Soil		•	
•		Other (Specify	Sensitive	high chlorid	e soils	
21. (NSECT		•	<u> </u>		
	0					
	2	Potato Leaf He				
	$\bar{\sqcap}$	Other (Specify)	/			• · · · · · · · · · · · · · · · · · · ·
22. (NOICA	TE WHICH VA	RIETY MOST CLOSELY RESEMBLES THAT	SUBMITTED.		
				-	NAME OF	VARIETY
P	lant Sh	ape '				
	eal Sha	ъре	DP 415			

DP 415

DP 415

Leaf Color

Leaf Size

6

DP 415

DP 3682

Seed Shape

Seedling Pigmentation

21. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paled Comparison Data

VARIETY	NO OF	PLANT LODGING	CM PLANT HEIGHT	LEAFLET SIZE		THETHOS DEES		SEEO SIZE G/100	NO.
	MATURITY			CM Miday	CM Length	X Frotein	× oii	SEEDS	\$600
DP 3681 Submitted	146	1.8	90			38.3	16.5	15	
DP 3682 Name of Similar Variety	147	1.9	84			35.9	17.8	13	in and the second secon

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses, Amer, Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3: Hymovitt, T. 1973. Electrophoretic analysis of SBTI-A2 in the USOA soybean gemplem collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

SI: IIN S- YAM 26.

DAV9-2MA-AO**SU**

EXHIBIT D

DELTA AND PINE LAND COMPANY'S APPLICATION FOR DP 3681

ADDITIONAL DESCRIPTION OF VARIETY

DPX 3681 is an F₄ selection composited in the F₅ generation from the cross DP 415 X Coker 6727. It is a potential replacement for DP 3682 with better yield potential, higher protein content, as well as stem canker and frogeye leaf spot resistance.

DPX 3681 is a late group VI maturing 1 day earlier than DP 3682 with dark green foliage, purple flowers, gray pubescence and tan pods at maturity. Height and lodging are similar to DP 3682. Seeds are shiny yellow with imperfect black hila. It is resistant to soybean cyst nematode (races 1 and 3), stem canker, frogeye leaf spot, soybean mosaic virus, as well as common and peanut root knot nematode. It is sensitive to high chloride soils.

DO WAS SIES

ed de deve vos. Bendere

EXHIBIT E

DELTA AND PINE LAND COMPANY'S APPLICATION FOR DP 3681

STATEMENT OF APPLICANT'S OWNERSHIP

DP 3681 was developed by Grover Shannon, Ph. D, Harry Collins, Ph.D. and Tom Wofford, Ph.D. Delta and Pine Land Company Plant Breeders. By agreement between employee and Delta and Pine Land Company, all rights to any invention, discovery, or development made by an emplyee are assigned to the company. No rights to such an invention, development, or discovery are retained by the employee.

25 MM -S 1111

1207-11-1269

SOYBEAN PRODUCT NOMINATION FORM


Suggested Nominee Number: DPX 3681

Experimental Designations: 91-12455 (4747)

Submitted by: Grover Shannon and Tom Wofford

Date Submitted: January 1, 1995

Parentage: DP 415 X Coker 6727



Data Collected from 22 Replicated Yield Tests.

I. Plant & Seed Characteristics:

Flower Color:

Purple

Pubescence Color:

Grey

Hilum Color:

Imperfect Black

Pod Wall Color: Tan Tan

Seed Coat Luster:

Shiny

Leaf Shape:

Ovate

Plant Type:

Determinate

Peroxidase Activity:

DPX 3681

DPX 3681 is an $\rm F_4$ selection composited in the $\rm F_5$ generation from the cross DP 415 X Coker 6727. It is a potential replacement for DP 3682 with better yield potential, and stem canker and frogeye leaf spot resistance.

DPX 3681 is a late group VI maturing 1 day earlier than DP 3682 with dark green foliage, purple flowers, grey pubescence and tan pods at maturity. Height and lodging are similar to DP 3682. Seeds are shiny yellow with imperfect black hila. It is resistant to soybean cyst nematode (races 1 and 3), stem canker, frogeye leaf spot as well as common and peanut root knot nematode.

KEY FEATURES

- Late group VI maturity
- Excellent yield potential
- Resistant to races 1 and 3 cyst nematode
 Resistant to common root knot nematode
- Moderately resistant to peanut root knot nematode
- Resistant to frogeye leaf spot
- Resistant to stem canker
- Attractive plant type

CHARACTERISTICS

Maturity Flower Color Pubescence Color Hilum Color Plant Height Lodging Resistance Shatter Resistance Seed Size Stem Canker Phytophthora Root Rot Cyst Nematode Common Root Knot Nematode Peanut Root Knot Nematode Red Crown Rot Aerial Blight Frogeye Leaf Spot Sudden Death Syndrome High Chloride

Soybean Mosaic Virus

Late group VI Purple Grey Imperfect Black Medium Excellent Excellent 3100 seed/lb Resistant Field Tolerant Resistant Resistant Moderately Resistant Unknown Moderately Resistant Resistant Unknown Sensitive Resistant

II. Agronomic Characteristics

Line	Mat.	Plant Height	Ldg.	Shat.	Seeds/ Lb.	% Pro.	% Oil
DPX 3681	-1	35	1.8	Exc.	3200	38.3	116.15
DP 3682	0	33	1.9	Exc.	3600	35.9	17.8
н 6686	-3	33	1.9	Exc.	.2900	37.0	18.1
DP 726	-1	37	2.7	Exc.	3800	35.2	17.3

III. Yield Data:

1993-94 Yield & Agronomic Data Summary


Line	Yield	% Yield	Mat.	Hgt.	Ldg.
DPX 3681	52.9	112	-1	35	1.8
н 6686	48.6	102	-3	33	1.9
DP 3682	47.5	100	0	35	1.9
YOUNG	47.4	100	-5	36	1.9
DP 726	46.7	98	+2	37	2.7
# TESTS	22	22	9	16	16

1994 Yield & Agronomic Data Summary

Line	Yield	% Yield	Mat.	Hgt.	Ldg.	
DPX 3681	51.3	118	0	31	1.6	
н 6686	46.5	107	-2	32	1.8	
YOUNG	44.9	103	-2	34	1.6	
DP 3682	43.5	100	0	31	1.8	
DP 726	nom42.2	97	+2	36	2.7	
# TESTS	11	11	5	9	7	

DPX 3681

1993-94 YIELD & AGRONOMIC SUMMARY



1993 Yield & Agronomic Data Summary

Line	Yield	% Yield Mat.		Hgt.	Ldg.
DPX 3681	54.4	108	-2	37	1.9
DP 3682	51.4	102	0	36	2.0
DP 726	50.5	100	+1	[,] 38	2.6
н 6686	50.7	100	-5	33	2.0
YOUNG	49.8	99	-8	37	2.2
# TESTS	11	11	4	7	9

Yield Summary in Bu/A

By Region: 1993-94

LINE	MIDS	SOUTH	ຮວບາ	THEAST	OVERALL MEAN		
	YLD % YLD		YLD	% YLD	YLD	% YLD	
DP 3681	52.6	109	53.2	116	52.9	112	
н 6686	47.8	100	49.8	110	48.6	103	
YOUNG	46.8	100	47.9	106	47.4	100	
DP 3682	47.8	99	47.1	100	47.4	100	
DP 726	45.6	95	48.0	104	46.7	98	
# TESTS	12	12	10	10	22	22	

By States: 1993-94

LINE	TN	AR	MS	LA	NC	sc	VA	GA	MEAN
DP 3681		49.0	54.4	54.1	55.6	43.5		56.1	52.9
н 6686	133	487	41.5	52.6	54.0	38.3		51.2	48.6
DP 3682		47.9	49.1	46.4	48.2	38.4		50.2	47.4
YOUNG		49.4	49.0	42.0	49.7	37.4		51.4	47.4
DP 726	-	45.6	48.9	42.9	48.7	39.1		51.6	46.7
# TESTS		4	4	4	4	2		4	22

By Soil Type Planting and Disease Situation: 1993-94

Line	Loam	Clay	Early Planted	SCN	Stem Canker	Root Knot	SDS	Aerial Blight
DPX 3681	58.9	52.4	51.3	48.6	66.8	49.6		
н 6686	55.9	48.9	45.6	44.0	65.8	37.9		
DP 3682	52.9	47.4	45.0	45.0	47.1	43.3		
DP 726	53.4	44.2	46.7	43.5	40.0,	42.6		
YOUNG	54.0	43.8	48.6	47.1	33.6	40.7		
# TESTS	8	6	2	3	_ 1	2		

1994 Head to Head Comparisons

DPX 3681 vs	Total Comp.	Won by- Bu/A	# Wins	% Wins
DP 3682	22	5.5	20	91
YOUNG	22	5.5	18	82
DP 726	22	6.2	21	95
Н 6686	22	4.3	16	73

YIELD IN BU/A BY TESTS AND LOCATIONS

1994 - 465M

		MIDSOUTH					
Line	AR CD	AR DM	MS SL	, MS SC	LA TL	LA MG	Mid- Sth Mean
DP 3681	52.8	41.0	54.3	49.0	37.2	66.8	50.2
P 9692	51.2	40.5	54.2	40.9	38.7	67.4	48.7
A 6961	50.6	42.1	48.6	42.3	39.6	68.9	48.9
н 6686	53.2	35.2		31.4	33.6	65.8	43.1
YOUNG	50.9	41.4	45.6	44.3	39.0	33.6	42.5
DP 3682	48.5	35.7	43.3	47.4	28.4	47.1	41.7
DP 726	45.9	37.6	45.4	43.9	23.8	40.0	39.4
c.v.	8.4	12.3	10.6	9.2	10.0	7.1	
LSD .05	5.6	9.7	8.2	6.2	5.8	5.9	

		SOUTHEAST					
Line	NC CL	NC SF	sc os	GA MT	GA PL	Sth- East Mean	Over All Mean
DPX 3681	56.6	50.7	36.9	46.7	72.7	52.7	51.3
P 9692	55.5	55.6	36.0	46.4	74.7	53.6	51.0
A 6961	49.4	48.5	38.4	49.7	70.7	51.0	49.9
н 6686	49.2	57.1	32.2	45.6	68.3	50.5	46.5
YOUNG	54.3	41.2	33.3	46.2	63.7	47.7	44.9
DP 3682	51.3	41.3	32.9	37.7	64.7	45.6	43.5
DP 726	47.6	43.0	34.5	48.1	62.7	47.2	42.2
c.v.	6.5	5.0	7.8	14.4	7.1		
LSD .05	5.9	4.6	4.4	13.7	7.9		

1993 - 365M

		MIDSOUTH					
Line	AR CD	AR DM	MS SL	MS SC	LA TL	LA MG	
DP 3681	54.0	48.1	61.5	52.8	48.6	63.6	
DP 3682	59.3	48.1	54.2	51.4	48.3	62.1	
DP 726	53.5	45.4	55.8	50.0	44.6	63.0	
н 6686	58.7	47.7	51.8	43.4	42.6	68.2	
YOUNG	59.5	45.6	55.7	50.2	41.3	54.2	
A 6785	59.5	47.8	57.9	41.0	40.0	54.6	
c.v.	6.4	5.6	13.3	8.1	8.5	7.4	
LSD .05	6.1	4.3	11.6	6.4	6.1	7.3	

the hap to . . .

		SOUTHEAST						
Line	Mid- Sth Mean	NC CL	NC SF	SC OS	GA PL	GA VD	Sth- East Mean	Over All Mean
DPX 3681	54.8	47.5	67.5	50.0	55.7	49.2	54.0	54.4
DP 3682	53.9	44.0	56.2	43.8	55.8	42.7	48.5	51.4
н 6686	52.0	50.4	59.4	44.3	59.3	31.4	49.0	50.7
DP 726	52.0	37.3	66.8	43.6	53.9	41.8	48.7	50.5
A 6785	50.2	49.6	59.5	46.4	56.6	40.4	50.5	50.3
YOUNG	51.1	45.0	58.3	41.5	55.9	39.8	48.1	49.8
c.v.	·	9.0	10.4	21.0	5.1	19.9		
LSD .05		6.9	10.0	14.3	5.0	12.6		

V. DISEASE REACTION AND OTHER INFORMATION:

Cyst Nematode
DPX 3681 is resistant to races 3 and susceptible to race 14 of soybean cyst nematode.

•	Race 3	
	1993	1994
	1 2 3 4 5	1 2 3 4 5
DPX 3681	7 0 0 0 0	1 3 3 0 0
Centennial	7 0 0 0 0	9 1 0 0 0
Hutcheson	0 0 0 0 7	0 2 2 4 0
Location:	Jackson, TN	Scott, MS
Conducted by:	Dr. Lawrence Young USDA, Nematologist	Grover Shannon Grady Robinson

	Race 14	
. :	1993	1994
	1 2 3 4 5	<u>1</u> <u>2</u> <u>3</u> <u>4</u> <u>5</u>
DPX 3681	0 0 0 2 4	0 0 4 2 0
Centennial	0 0 0 0 5	0 0 0 5 1
Bedford	4 3 0 0 0	0 1 7 1 0
Location:	Jackson, TN	Scott, MS
Conducted by:	Dr. Lawrence Young USDA, Nematologist	Grover Shannon Grady Robinson

Root Knot Nematode 1 = No galling 5 = Very severe galling DPX 3681 is resistant to common root knot nematode and moderately resistant to peanut root knot nematode.

	Common Roc M. Inco 1993		Peanut R <u>M. are</u> 1993	oot Knot naria 1994
DPX 3681 Resistant Ck. Susceptible Ck.	1.0 1.0 3.5	0.5 1.0 3.5	1.5 1.0 3.0	2.5 1.5 4.0
Location: Conducted by:	Jay, FL Dr. Robert Nematologi University		Nematol	ert Kinloch

 $\frac{\text{Stem Canker}}{\text{DPX 3681 is very resistant to stem canker.}} 1 = \text{No symptoms 5} = \text{Very severe symptoms}$

	1993	1994
DPX 3681	1.0	1.3
DP 3682	2.0	3.0
DP 726	1.0	3.0
н 6686	1.0	1.3
YOUNG	3.0	4.7
DP 3627	4.0	4.7

Location: Scott, MS Morganza, LA Grover Shannon Grover Shannon

Frogeye Leaf Spot 1 = None 5 = Very Severe symptoms DPX 3681 is probably resistant to frogeye leaf spot based on limited information we have at this time.

 $\frac{\text{Sudden Death Syndrome}}{\text{DPX 3681 reaction to sudden death syndrome is unknown.}} \quad 1 = \text{None } 5 = \text{Very severe symptoms}$

Soybean Mosaic Virus 1 = None 5 = Very severe symptoms
DPX 3681 is resistant to soybean mosaic virus.

	1994
DPX 3681	1.5
DP 3682	3.0
Н 6686	3.0
DP 726	4.0
YOUNG	2.0

Location: Conducted by: Scott, MS Grover Shannon $\frac{\text{Aerial Blight}}{\text{DPX 3681 reaction to aerial web blight is unknown.}}$ 5 = Very Severe

<u>Herbicide Tolerance</u>

DPX 3681 has no known sensitivity to common soybean herbicides when used as directed. It is found to have normal tolerance to Metribuzin.

Chloride Tolerance
DPX 3681 is sensitive to high chloride soils.

Seed Stock

There are 70.4 bushels of foundation DPX 3681 and 2 units of breeder seed.